

FIXED PORTLIGHTS

SELECTION INFORMATION



INTRODUCTION

Hatches/Portlights **Introduction** Features Dimensions Fixtures

Maxwell's attractively styled super-low profile fixed portlights feature silver inner and outer extruded aluminium anodized frame encapsulating a standard 10mm (3/8") thick, smoke-grey acrylic window. Supplied complete with stainless steel mounting screws and a white PVC dress trim for hull/superstructures up to 40mm (1 9/16") thick.



3 YEAR
Limited Warranty

MAXWELL

FIXED PORTLIGHTS

SELECTION INFORMATION



Hatches/Portlights Introduction **Features** Dimensions Fixtures

FEATURES

Trims

Maxwell's vacuum molded PVC inner dress trims are designed for hull/superstructure thickness up to 40mm (1 9/16") as standard.

Frames

Fixed portlights feature silver inner and outer extruded aluminium frames and come complete with stainless steel mounting screws for quick installation.

Unique Acrylic Fitting and Sealing System

Maxwell hatches incorporate a unique "V" system of fitting the acrylic into the frame ensuring that the window is secured into the frame with unparallel strength. The "V" system allows the full 10mm (3/8") thickness of the acrylic to be utilised for extra strength and the seal is further enhanced by a double sealant method guaranteeing a watertight portlight in the harshest conditions. The frame is designed to allow easy replacement of the acrylic by a qualified marine glazier should it become damaged.



UNIQUE ACRYLIC SEALING SYSTEM



3YEAR
Limited Warranty

MAXWELL

FIXED PORTLIGHTS


SELECTION INFORMATION



Hatches/Portlights Introduction Features **Dimensions** Fixtures

DIMENSIONS

CODE	CUTOUT SIZE MM (X - Y)	CUTOUT SIZE IN" (X - Y)	CUTOUT RADIUS MM	CUTOUT RADIUS IN"	OUTSIDE SIZE MM (X - Y)	OUTSIDE SIZE IN" (X - Y)	HEIGHT ABOVE DECK MM (W)	HEIGHT ABOVE DECK IN" (W)
WPF00S	293 x 158	11 9/16 x 6 3/16	55	2 3/16	315 x 180	12 3/8 x 7 1/8	N / A	N / A
WPF01S	346 x 171	13 5/8 x 6 11/16	55	2 3/16	368 x 193	14 1/2 x 7 5/8	N / A	N / A
WPF02S	403 x 158	15 7/8 x 6 3/16	55	2 3/16	428 x 180	16 7/8 x 7 1/8	N / A	N / A
WPF03S	431 x 171	17 x 6 11/16	55	2 3/16	453 x 193	17 7/8 x 7 5/8	N / A	N / A
WPF04S	631 x 171	24 7/8 x 6 11/16	55	2 3/16	648 x 193	25 1/2 x 7 5/8	N / A	N / A



3 YEAR
Limited Warranty



Do not cut opening before receiving your Hatch or Portlight.
Hatches and Portlights should be fitted to a flat surface with a maximum tolerance of 1mm.

MAXWELL